

## 兔抗 CCNF 多克隆抗体

中文名称：兔抗 CCNF 多克隆抗体

英文名称： Anti-CCNF rabbit polyclonal antibody

别名： cyclin F; FBX1; FBXO1

抗原： CCNF

储存： 冷冻（-20℃）

宿主： Rabbit

相关类别： 一抗

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

#### Background:

This gene encodes a member of the cyclin family. Cyclins are important regulators of cell cycle transitions through their ability to bind and activate cyclin-dependent protein kinases. This member also belongs to the F-box protein family which is characterized by an approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of the ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3 classes: F-boxes containing WD

	-40 domains, FbIs containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene belongs to the Fbxs class and it was one of the first proteins in which the F-box motif was identified.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	CCNF
<b>Immunogen:</b>	Synthetic peptide of human CCNF
<b>Full name:</b>	cyclin F
<b>Synonyms:</b>	FBX1; FBXO1
<b>SwissProt:</b>	P41002
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human colorectal cancer
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	88 kDa
<b>WB Positive control:</b>	293T cell lysate
<b>WB Recommended dilution:</b>	500-2000



