

兔抗 CCNG2 多克隆抗体

中文名称：兔抗 CCNG2 多克隆抗体

英文名称： Anti-CCNG2 rabbit polyclonal antibody

相关类别： 一抗

储 存： 冷冻 (-20℃)

宿 主： Rabbit

抗 原： CCNG2

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	The eukaryotic cell cycle is governed by cyclin-dependent protein kinases (CDKs) whose activities are regulated by cyclins and CDK inhibitors. The 8 species of cyclins reported in mammals, cyclins A through H, share a conserved amino acid sequence of about 90 residues called the cyclin box. The amino acid sequence of cyclin G is well conserved among mammals. The nucleotide sequence of cyclin G1 and cyclin G2 are 53% identical. Unlike cyclin G1, cyclin G2 contains a C-terminal PEST protein destabilization motif, suggesting that cyclin G2 expression is tightly regulated through the cell cycle.
Applications:	ELISA, IHC

Name of antibody:	CCNG2
Immunogen:	Synthetic peptide of human CCNG2
Full name:	cyclin G2
SwissProt:	Q16589
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human liver cancer and human esophagus cancer
IHC Recommend dilution:	25-100



