

兔抗 CCR4 多克隆抗体

中文名称：兔抗 CCR4 多克隆抗体

英文名称：Anti-CCR4 rabbit polyclonal antibody

别名：CKR4; K5-5; CD194; CMKBR4; ChemR13; CC-CKR-4; HGNC:14099

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：CCR4

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:

The protein encoded by this gene belongs to the G-protein-coupled receptor family . It is a receptor for the CC chemokine - MIP-1, RANTES, TARC and MCP-1. Chemokines are a group of small polypeptide, structurally related molecules that regulate cell trafficking of various types of leukocytes. The chemokines also play fundamental roles in the development, homeostasis, and function of the immune system, and they have effects on cells of the central nervous system as well as on endothelial cells involved in angiogenesis or angiostasis.

Applications:	ELISA, IHC
Name of antibody:	CCR4
Immunogen:	Synthetic peptide of human CCR4
Full name:	chemokine (C-C motif) receptor 4
Synonyms :	CKR4; K5-5; CD194; CMKBR4; ChemR13; CC-CKR-4 ; HGCN:14099
SwissProt:	P51679
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil and human cervical cancer
IHC Recommend dilution:	20-100



