

兔抗 CD47 多克隆抗体

中文名称：兔抗 CD47 多克隆抗体

英文名称：Anti-CD47 rabbit polyclonal antibody

别名：IAP; OA3; MER6

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：CD47

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a membrane protein, which is involved in the increase in intracellular calcium concentration that occurs upon cell adhesion to extracellular matrix. The encoded protein is also a receptor for the C-terminal cell binding domain of thrombospondin, and it may play a role in membrane transport and signal transduction. This gene has broad tissue distribution, and is reduced in expression on Rh erythrocytes. Alternatively spliced transcript variants have been found for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	CD47

Immunogen:	Synthetic peptide of human CD47
Full name:	CD47 molecule
Synonyms:	IAP; OA3; MER6
SwissProt:	Q08722
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human brain and Human lymphoma
IHC Recommend dilution:	50-200
WB Predicted band size:	35 kDa
WB Positive control:	Human metastatic poorly differentiated adenocarcinoma of the ovary tissue, Human ovarian cancer tissue lysate, Human ovarian cancer (granulosa cell tumor) tissue lysates
WB Recommended dilution:	500-2000



