



兔抗 FMO5 多克隆抗体

中文名称：兔抗 FMO5 多克隆抗体

英文名称：Anti-FMO5 rabbit polyclonal antibody

相关类别：一抗

储 存：冷冻 (-20°C)

宿 主：Rabbit

抗 原：FMO5

反应种属：Human, Mouse, Rat


标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Metabolic N-oxidation of the diet-derived amino-trimethyl amine (TMA) is mediated by flavin-containing monooxygenase and is subject to an inherited FMO3 polymorphism in man resulting in a small subpopulation with reduced TMA N-oxidation capacity resulting in fish odor syndrome Trimethylaminuria. Three forms of the enzyme, FMO1 found in fetal liver, FMO2 found in adult liver, and FMO3 are encoded by genes clustered in the 1q23-q25 region.
Applications:	ELISA, WB, IHC
Name of antibody:	FMO5
Immunogen:	Fusion protein of human FMO5
Full name:	flavin containing monooxygenase 5
SwissProt:	P49326

ELISA Recommended dilution:	5000-10000
IHC positive control:	Human esophagus cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	60 kDa
WB Positive control:	Human fetal liver and mouse lung tissue
WB Recommended dilution:	200-1000



mlbio 海联生物
Good elisakit producers

