

## Anti-CREBBP antibody

<b>Cat. No.</b>	ml160141
<b>Package</b>	25 µl/100 µl/200 µl
<b>Storage</b>	-20°C, pH7.4 PBS, 0.05% NaN <sub>3</sub> , 40% Glycerol

### Product overview

<b>Description</b>	Anti-CREBBP rabbit polyclonal antibody
<b>Applications</b>	ELISA, IHC
<b>Immunogen</b>	Synthetic peptide of human CREBBP
<b>Reactivity</b>	Human, Mouse, Rat
<b>Content</b>	0.4 mg/ml
<b>Host species</b>	Rabbit
<b>Ig class</b>	Immunogen-specific rabbit IgG
<b>Purification</b>	Antigen affinity purification

### Target information

<b>Symbol</b>	CREBBP
<b>Full name</b>	CREB binding protein
<b>Synonyms</b>	CBP, RSTS, KAT3A
<b>Swissprot</b>	Q92793

### Target Background

This gene is ubiquitously expressed and is involved in the transcriptional coactivation of many different transcription factors. First isolated as a nuclear protein that binds to cAMP-response element binding protein (CREB), this gene is now known to play critical roles in embryonic development, growth control, and homeostasis by coupling chromatin remodeling to transcription factor recognition. The protein encoded by this gene has intrinsic histone acetyltransferase activity and also acts as a scaffold to stabilize additional protein interactions with the transcription complex. This protein acetylates both histone and non-histone proteins. This protein shares regions of very high sequence similarity with protein p300 in its bromodomain, cysteine-histidine-rich regions, and histone acetyltransferase domain. Mutations in this gene cause Rubinstein-Taybi syndrome (RTS). Chromosomal translocations involving this gene have been associated with acute myeloid leukemia. Alternative splicing results in multiple transcript variants encoding different isoforms.

订购热线: 4008-898-798


## Applications

### Immunohistochemistry


Predicted cell location: Nucleus

Positive control: Human cervical cancer

Recommended dilution: 5-20




The image on the left is immunohistochemistry of paraffin-embedded Human cervical cancer tissue using ml160141(CREBBP Antibody) at dilution 1/5, on the right is treated with synthetic peptide. (Original magnification:  $\times 200$ )




Predicted cell location: Nucleus

Positive control: Human esophagus cancer

Recommended dilution: 5-20



The image on the left is immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using ml160141(CREBBP Antibody) at dilution 1/5, on the right is treated with synthetic peptide. (Original magnification:  $\times 200$ )



### ELISA

Recommended dilution: 500-5000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: [mlbio\\_cn@yeah.net](mailto:mlbio_cn@yeah.net)

网址: [www.mlbio.cn](http://www.mlbio.cn)