

Anti-HSH2D antibody

Cat. No.	ml164219
Package	25 μΙ/100 μΙ/200 μΙ
Storage	-20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview	
Description	Anti-HSH2D rabbit polyclonal antibody
Applications	ELISA, IHC
Immunogen	Synthetic peptide of human HSH2D
Reactivity	Human
Content	0.66 mg/ml
Host species	Rabbit
lg class	Immunogen-specific rabbit IgG
Purification	Antigen affinity purification
Target information	
a got mornation	

Target information	
Symbol	HSH2D
Full name	hematopoietic SH2 domain containing
Synonyms	ALX; HSH2
Swissprot	Q96JZ2
Townoś Dookowowad	AUCO.

Target Background


T-cell activation requires 2 signals: recognition of antigen by the T-cell receptor (see TCR; MIM 186880) and a costimulatory signal provided primarily by CD28 (MIM 186760) in naive T cells. HSH2 is a target of both of these signaling pathways (Greene et al., 2003 [PubMed 12960172]).



订购热线: 4008-898-798

Applications Immunohistochemistry Predicted cell location: Cytoplasm

Positive control: Human tonsil Recommended dilution: 30-150



The image on the left is immunohistochemistry of paraffin-embedded Human tonsil tissue using ml164219(HSH2D Antibody) at dilution 1/25, on the right is treated with synthetic peptide. (Original magnification: ×200)

ELISA

Recommended dilution: 5000-10000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695,2881505696

邮箱: mlbio_cn@yeah.net 网址: www.mlbio.cn