

Anti-MAGEE1 antibody

 Cat. No.
 ml261881

 Package
 25 μl/100 μl/200 μl

 Storage
 -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview	
Description	A
Applications	E
Immunogen	S
Reactivity	Н
Content	0
Host species	R
lg class	Ir
Purification	A

Anti-MAGEE1 rabbit polyclonal antibody ELISA, IHC Synthetic peptide of human MAGEE1 Human 0.7 mg/ml Rabbit Immunogen-specific rabbit IgG Antigen affinity purification

Target information Symbol Full name Synonyms Swissprot MAGEE1 melanoma antigen family E, 1 HCA1; DAMAGE Q9HCI5

Target Background


This gene encodes an alpha-dystrobrevin-associated MAGE (melanoma-associated antigen) protein, which is a member of the MAGE family. The protein contains a nuclear localization signal in the N-terminus, 30 12-amino acid repeats beginning at nt 60 with the consensus sequence ASEGPSTSVLPT, and two MAGE domains in the C-terminus. It may play a signaling role in brain, muscle, and peripheral nerve. This gene is located on X chromosome in a region containing loci linked to mental retardation.




订购热线: 4008-898-798

Applications Immunohistochemistry


Predicted cell location: Cytoplasm or Nucleus Positive control: Human thyroid cancer Recommended dilution: 25-100






The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using ml261881(MAGEE1 Antibody) at dilution 1/30, on the right is treated with synthetic peptide. (Original magnification: ×200)

Predicted cell location: Cytoplasm or Nucleus Positive control: Human colon cancer Recommended dilution: 25-100





The image on the left is immunohistochemistry of paraffin-embedded Human colon cancer tissue using ml261881(MAGEE1 Antibody) at dilution 1/30, on the right is treated with synthetic peptide. (Original magnification: ×200)

ELISA

Recommended dilution: 1000-2000

- 联系电话: 4008-898-798, 021-61725725
- 联系QQ: 2881505695,2881505696、^O
- 邮箱: mlbio_cn@yeah.net 网址: www.mlbio.cn