

订购热线: 4008-898-798

# Anti-DDIT3 antibody

**Cat. No.** ml262889

**Package** 25 μl/100 μl/200 μl

**Storage** -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Product overview** 

**Description** Anti-DDIT3 rabbit polyclonal antibody

Applications ELISA, IHC

Immunogen Synthetic peptide of human DDIT3

Reactivity Human, Mouse, Rat

Content0.4 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

**Target information** 

Symbol DDIT3

Full name DNA-damage-inducible transcript 3

Synonyms CHOP; CEBPZ; CHOP10; CHOP-10; GADD153

Swissprot P35638

### **Target Background**

This gene encodes a member of the CCAAT/enhancer-binding protein (C/EBP) family of transcription factors. The protein functions as a dominant-negative inhibitor by forming heterodimers with other C/EBP members, such as C/EBP and LAP (liver activator protein), and preventing their DNA binding activity. The protein is implicated in adipogenesis and erythropoiesis, is activated by endoplasmic reticulum stress, and promotes apoptosis. Fusion of this gene and FUS on chromosome 16 or EWSR1 on chromosome 22 induced by translocation generates chimeric proteins in myxoid liposarcomas or Ewing sarcoma. Multiple alternatively spliced transcript variants encoding two isoforms with different length have been identified.




订购热线: 4008-898-798


# **Applications**

## **Immunohistochemistry**

Predicted cell location: Cytoplasm and Nucleus

Positive control: Human tonsil Recommended dilution: 25-100





The image on the left is immunohistochemistry of paraffin-embedded Human tonsil tissue using ml262889(DDIT3 Antibody) at dilution 1/20, on the right is treated with synthetic peptide. (Original magnification: ×200)

#### **ELISA**

Recommended dilution: 5000-10000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio\_cn@yeah.net 网址: www.mlbio.cn