

订购热线: 4008-898-798

Anti-SLC16A6 antibody

Cat. No. ml262943

Package 25 μl/100 μl/200 μl

Storage -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview

Description Anti-SLC16A6 rabbit polyclonal antibody

Applications ELISA, IHC

Immunogen Synthetic peptide of human SLC16A6

ReactivityHumanContent0.6 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

Target information

Symbol SLC16A6

Full name solute carrier family 16, member 6

Synonyms MCT6; MCT7
Swissprot O15403

Target Background

SLC16A6 is a proton-linked monocarboxylate transporter. It catalyzes the rapid transport across the plasma membrane of many monocarboxylates such as lactate, pyruvate, branched-chain oxo acids derived from leucine, valine and isoleucine, and the ketone bodies acetoacetate, beta-hydroxybutyrate and acetate.



订购热线: 4008-898-798


Applications


Immunohistochemistry

Predicted cell location: Cytoplasm and Cell membrane

Positive control: Human colorectal cancer

Recommended dilution: 25-100





The image on the left is immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using ml262943(SLC16A6 Antibody) at dilution 1/20, on the right is treated with synthetic peptide. (Original magnification: ×200)

ELISA

Recommended dilution: 5000-10000


联系电话: 4008-898-798, 021-61725725


联系QQ: 2881505695, 2881505696

邮箱: mlbio_cn@yeah.net 网址: www.mlbio.cn

Predicted cell location: Cytoplasm and Cell membrane

Positive control: Human brain Recommended dilution: 25-100





The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using ml262943(SLC16A6 Antibody) at dilution 1/20, on the right is treated with synthetic peptide. (Original magnification: ×200)