

订购热线: 4008-898-798

# Anti-TTC23 antibody

**Cat. No.** ml123438

**Package** 25 μl/100 μl/200 μl

**Storage** -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Product overview** 

**Description** Anti-TTC23 rabbit polyclonal antibody

Applications ELISA, WB, IHC

Immunogen Fusion protein of human TTC23

ReactivityHuman, MouseContent0.3 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

**Target information** 

Symbol TTC23

Full name tetratricopeptide repeat domain 23

Synonyms HCC-8 Swissprot Q5W5X9

#### **Target Background**

The tetratricopeptide repeat (TPR) is a structural motif. It consists in a degenerate 34 amino acid sequence motif identified in a wide variety of proteins. It is found in tandem arrays of 3–16 motifs,[1] which form scaffolds to mediate protein–protein interactions and often the assembly of multiprotein complexes. These repeats usually fold together to produce a single, linearsolenoid domain called TPR domain.





订购热线: 4008-898-798

## **Applications**

# **Immunohistochemistry**

Predicted cell location: Cytoplasm Positive control: Human liver cancer Recommended dilution: 25-100





The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using ml123438(TTC23 Antibody) at dilution 1/35, on the right is treated with fusion protein. (Original magnification: ×200)

## Western blotting

Predicted band size:50 kDa

Positive control:Mouse adrenal gland tissue

Recommended dilution: 500-2000

Gel: 8%SDS-PAGE


Lysate: 40 µg

Lane: Mouse adrenal gland tissue

ion dille Primary antibody: ml123438(TTC23 Antibody) at dilution 1/800

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 10 seconds



### **ELISA**

Recommended dilution: 2000-5000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio cn@yeah.net

网址: www.mlbio.cn