

订购热线: 4008-898-798

## Anti-RARA antibody

**Cat. No.** ml121192

Package 25  $\mu$ l/100  $\mu$ l/200  $\mu$ l

**Storage** -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Product overview** 

**Description** Anti-RARA rabbit polyclonal antibody

Applications ELISA, IHC

Immunogen Fusion protein of human RARA

ReactivityHuman, MouseContent0.3 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

**Target information** 

Symbol RARA

Full name Retinoic acid receptor, alpha

Synonyms RAR; NR1B1
Swissprot P10276

## **Target Background**

This gene represents a nuclear retinoic acid receptor. The encoded protein, retinoic acid receptor alpha, regulates transcription in a ligand-dependent manner. This gene has been implicated in regulation of development, differentiation, apoptosis, granulopoeisis, and transcription of clock genes. Translocations between this locus and several other loci have been associated with acute promyelocytic leukemia. Alternatively spliced transcript variants have been found for this locus.





订购热线: 4008-898-798

## **Applications**

## **Immunohistochemistry**

Predicted cell location: Cytoplasm Positive control: Human thyroid cancer Recommended dilution: 50-200





The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using ml121192(RARA Antibody) at dilution 1/40, on the right is treated with fusion protein. (Original magnification: ×200)



Recommended dilution: 2000-5000


联系电话: 4008-898-798, 021-61725725


联系QQ: 2881505695, 2881505696

邮箱: mlbio\_cn@yeah.net 网址: www.mlbio.cn

Predicted cell location: Cytoplasm Positive control: Human ovarian cancer

Recommended dilution: 50-200





The image on the left is immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using ml121192(RARA Antibody) at dilution 1/40, on the right is treated with fusion protein. (Original magnification: ×200)