

Anti-FUT1 antibody

Cat. No.	ml161692
Package	25 µl/100 µl/200 µl
Storage	-20°C, pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol

Product overview

Description	Anti-FUT1 rabbit polyclonal antibody
Applications	ELISA, WB
Immunogen	Synthetic peptide of human FUT1
Reactivity	Human
Content	0.4 mg/ml
Host species	Rabbit
Ig class	Immunogen-specific rabbit IgG
Purification	Antigen affinity purification

Target information

Symbol	FUT1
Full name	fucosyltransferase 1 (galactoside 2-alpha-L-fucosyltransferase, H blood group)
Synonyms	H; HH; HSC
Swissprot	P19526

Target Background

The protein encoded by this gene is a Golgi stack membrane protein that is involved in the creation of a precursor of the H antigen, which is required for the final step in the soluble A and B antigen synthesis pathway. This gene is one of two encoding the galactoside 2-L-fucosyltransferase enzyme. Mutations in this gene are a cause of the H-Bombay blood group.

订购热线: 4008-898-798

Applications

Western blotting

Predicted band size: 41 kDa

Positive control: Human bladder transitional cells carcinoma and testis tissue, human transitional cells carcinoma of bladder tissue

Recommended dilution: 200-1000

Gel: 8%SDS-PAGE


Lysate: 40 µg

Lane 1-3: Human bladder transitional cell carcinoma tissue, Human testis tissue, human transitional cell carcinoma of bladder tissue

Primary antibody: ml161692(FUT1 Antibody) at dilution 1/200

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 1 minute



ELISA

Recommended dilution: 1000-2000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio_cn@yeah.net

网址: www.mlbio.cn

mlbio 酶联生物
Good elisakit producers
订购热线: 4008-898-798