

订购热线: 4008-898-798

# Anti-CYP1A1 antibody

**Cat. No.** ml162002

Package 25  $\mu$ l/100  $\mu$ l/200  $\mu$ l

**Storage** -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Product overview** 

**Description** Anti-CYP1A1 rabbit polyclonal antibody

Applications ELISA, WB

Immunogen Synthetic peptide of human CYP1A1

Reactivity Human, Mouse, Rat

Content 0.2 mg/ml Host species Rabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

**Target information** 

Symbol CYP1A1

**Full name** cytochrome P450, family 1, subfamily A, polypeptide 1 **Synonyms** AHH; AHRR; CP11; CYP1; P1-450; P450-C; P450DX

Swissprot P04798

### **Target Background**

This gene, CYP1A1, encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and its expression is induced by some polycyclic aromatic hydrocarbons (PAHs), some of which are found in cigarette smoke. The enzyme's endogenous substrate is unknown; however, it is able to metabolize some PAHs to carcinogenic intermediates. The gene has been associated with lung cancer risk. A related family member, CYP1A2, is located approximately 25 kb away from CYP1A1 on chromosome 15.



订购热线: 4008-898-798

## **Applications**

## Western blotting

Predicted band size:58 kDa Positive control:Mouse lung tissue Recommended dilution: 200-1000

Gel: 6%SDS-PAGE

Lysate: 40 µg

Lane: Mouse lung tissue

Primary antibody: ml162002(CYP1A1 Antibody) at dilution

1/200

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 2 minutes

kDa 130— 95— 72— 55— 36—

### **ELISA**

Recommended dilution:1000-2000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio\_cn@yeah.net

网址: www.mlbio.cn