

Anti-PDCD1LG2 antibody

Cat. No.	ml121968
Package	25 μl/100 μl/200 μl
Storage	-20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview	
Description	Anti-PDCD1LG2 rabbit polyclonal antibody
Applications	ELISA, IHC
Immunogen	Fusion protein of human PDCD1LG2
Reactivity	Human
Content	0.6 mg/ml
Host species	Rabbit
lg class	Immunogen-specific rabbit IgG
Purification	Antigen affinity purification
Target information	
Symbol	

larget information	
Symbol	PDCD1LG2
Full name	programmed cell death 1 ligand 2
Synonyms	B7DC; Btdc; PDL2; CD273; PD-L2; PDCD1L2; bA574F11.2
Swissprot	Q9BQ51
Target Background	dr.

ooc

Target Background


Programmed cell death 1 ligand 2 (also known as PD-L2, B7-DC) is a protein that in humans is encoded by the PDCD1LG2 gene. PDCD1LG2 has also been designated as CD273 (cluster of differentiation 273). Involved in the costimulatory signal, essential for T-cell proliferation and IFNG production in a PDCD1-independent manner. Interaction with PDCD1 inhibits Tcell proliferation by blocking cell cycle progression and cytokine production.



订购热线: 4008-898-798

Applications Immunohistochemistry

Predicted cell location: Cytoplasm Positive control: Human thyroid cancer Recommended dilution: 25-100



The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using ml121968(PDCD1LG2 Antibody) at dilution 1/40, on the right is treated with fusion protein. (Original magnification: ×200)

ELISA

Recommended dilution: 2000-5000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695,2881505696

邮箱: mlbio_cn@yeah.net 网址: www.mlbio.cn