

订购热线: 4008-898-798

Anti-DUT antibody

Cat. No. ml160268

Package 25 μl/100 μl/200 μl

Storage -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview

Description Anti-DUT rabbit polyclonal antibody

Applications ELISA, WB, IHC

Immunogen Synthetic peptide of human DUT

ReactivityHuman, RatContent0.2 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

Target information

Symbol DUT

Full name Deoxyuridine triphosphatase

Synonyms dUTPase
Swissprot P33316

Target Background

This gene encodes an essential enzyme of nucleotide metabolism. The encoded protein forms a ubiquitous, homotetrameric enzyme that hydrolyzes dUTP to dUMP and pyrophosphate. This reaction serves two cellular purposes: providing a precursor (dUMP) for the synthesis of thymine nucleotides needed for DNA replication, and limiting intracellular pools of dUTP. Elevated levels of dUTP lead to increased incorporation of uracil into DNA, which induces extensive excision repair mediated by uracil glycosylase. This repair process, resulting in the removal and reincorporation of dUTP, is self-defeating and leads to DNA fragmentation and cell death. Alternative splicing of this gene leads to different isoforms that localize to either the mitochondrion or nucleus. A related pseudogene is located on chromosome 19.





订购热线: 4008-898-798

Applications

Immunohistochemistry

Predicted cell location: Cytoplasm Positive control: Human brain Recommended dilution: 10-50





The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using ml160268(DUT Antibody) at dilution 1/30, on the right is treated with synthetic peptide. (Original magnification: ×200)

Western blotting

Predicted band size:27 kDa Positive control:293T cells

Recommended dilution: 200-1000

Gel: 10%SDS-PAGE

Lysate: 40 µg Lane: 293T cells

disakii producet Primary antibody: ml160268(DUT Antibody) at dilution 1/500 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 5 minutes

25

ELISA

Recommended dilution: 1000-2000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio cn@yeah.net

网址: www.mlbio.cn