

Anti-ACBD4 antibody

Cat. No. m1223676

Package 25 μ l/100 μ l/200 μ l

Storage -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview

Description Anti-ACBD4 rabbit polyclonal antibody

Applications ELISA, WB, IHC

Immunogen Full length fusion protein

Reactivity Human

Content 0.9 mg/ml

Host species Rabbit

Ig class Immunogen-specific rabbit IgG

Purification Antigen affinity purification

Target information

Symbol ACBD4

Full name acyl-CoA binding domain containing 4



Synonyms HMFT0700

Swissprot Q8NC06

Target Background

This gene encodes a member of the acyl-coenzyme A binding domain containing protein family. All family members contain the conserved acyl-Coenzyme A binding domain, which binds acyl-CoA thiol esters. They are thought to play roles in acyl-CoA dependent lipid metabolism. Multiple transcript variants encoding different isoforms have been found for this gene.




Applications


Immunohistochemistry

Predicted cell location: Cytoplasm

Positive control: Human gastric cancer

Recommended dilution: 25-100





Good elisakii producere

The image on the left is immunohistochemistry of paraffin-embedded Human gastric cancer tissue using ml223676(ACBD4 Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: ×200)

Western blotting

Predicted band size:30 kDa

Positive control:HEPG2 cell lysate

Recommended dilution: 500-2000



Gel: 12%SDS-PAGE

Lysate: 40 µg

Lane: HEPG2 cell lysate

Primary antibody: ml223676(ACBD4 Antibody) at dilution 1/400

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 10 seconds



ELISA

Recommended dilution: 5000-10000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio_cn@yeah.net

网址: www.mlbio.cn