

Anti-NAP1L1 antibody

Cat. No. ml221019

Package 25 μl/100 μl/200 μl

Storage -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview

Description Anti-NAP1L1 rabbit polyclonal antibody

Applications ELISA, WB, IHC

Immunogen Fusion protein of human NAP1L1

Reactivity Human, Mouse, Rat

Content 0.4 mg/ml

Host species Rabbit

Ig class Immunogen-specific rabbit IgG

Purification Antigen affinity purification

Target information

Symbol NAP1L1

Full name nucleosome assembly protein 1-like 1



Synonyms NRP, NAP1, NAP1L

Swissprot P55209

Target Background

This gene encodes a member of the nucleosome assembly protein (NAP) family. This protein participates in DNA replication and may play a role in modulating chromatin formation and contribute to the regulation of cell proliferation. Alternative splicing of this gene results in several transcript variants; however, not all have been fully described.




Applications


Immunohistochemistry

Predicted cell location: cytoplasm, Cell membrane

Positive control: Human liver cancer

Recommended dilution: 50-200





Good elisakit producer

The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using ml221019(NAP1L1 Antibody) at dilution 1/50, on the right is treated with fusion protein. (Original magnification: ×200)

Western blotting

Predicted band size:45 kDa


Positive control:Jurkat cells


Recommended dilution: 500-2000

Predicted cell location: cytoplasm, Cell membrane

Positive control: Human lung cancer

Recommended dilution: 50-200





The image on the left is immunohistochemistry of paraffin-embedded Human lung cancer tissue using ml221019(NAP1L1 Antibody) at dilution 1/50, on the right is treated with fusion protein. (Original magnification: ×200)



Gel: 10%SDS-PAGE


Lysate: 40 µg

Lane: Jurkat cells

Primary antibody: ml221019(NAP1L1 Antibody) at dilution 1/650

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 40 seconds



ELISA

Recommended dilution: 2000-5000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio_cn@yeah.net

网址: www.mlbio.cn