

Anti-TRAF3IP1 antibody

Cat. No. ml221357

Package 25 μ l/100 μ l/200 μ l

Storage -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview

Description Anti-TRAF3IP1 rabbit polyclonal antibody

Applications ELISA, WB, IHC

Immunogen Fusion protein of human TRAF3IP1

Reactivity Human, Mouse, Rat

Content 0.4 mg/ml

Host species Rabbit

Ig class Immunogen-specific rabbit IgG

Purification Antigen affinity purification

Target information

Symbol TRAF3IP1

Full name TNF receptor-associated factor 3 interacting protein 1



Synonyms MIPT3; MIP-T3

Swissprot Q8TDR0

Target Background

This protein plays an inhibitory role on IL13 signaling by binding to IL13RA1. Involved in suppression of IL13-induced STAT6 phosphorylation, transcriptional activity and DNA-binding. Recruits TRAF3 and DISC1 to the microtubules. It can interacts with IL13RA1 and binds to microtubules, TRAF3 and DISC1.




Applications


Immunohistochemistry

Predicted cell location: Cytoplasm

Positive control: Human thyroid cancer

Recommended dilution: 50-200





Good elisakit producer

The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using ml221357(TRAF3IP1 Antibody) at dilution 1/70, on the right is treated with fusion protein. (Original magnification: ×200)

Western blotting

Predicted band size:79 kDa


Positive control:Human brain malignant glioma tissue

Recommended dilution: 500-2000

Predicted cell location: Cytoplasm

Positive control: Human brain

Recommended dilution: 50-200





The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using ml221357(TRAF3IP1 Antibody) at dilution 1/70, on the right is treated with fusion protein. (Original magnification: ×200)



Gel: 8%SDS-PAGE


Lysate: 40 µg

Lane: Human brain malignant glioma tissue

Primary antibody: ml221357(TRAF3IP1 Antibody) at dilution 1/500

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 2 minutes



ELISA

Recommended dilution: 2000-10000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio_cn@yeah.net

网址: www.mlbio.cn