

订购热线: 4008-898-798

## Anti-PRAME antibody

**Cat. No.** ml122915

**Package** 25 μl/100 μl/200 μl

**Storage** -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Product overview** 

**Description** Anti-PRAME rabbit polyclonal antibody

**Applications** ELISA, IHC

Immunogen Fusion protein of human PRAME

ReactivityHumanContent1.1 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

**Target information** 

Symbol PRAME

Full name preferentially expressed antigen in melanoma

Synonyms MAPE; OIP4; CT130; OIP-4

Swissprot P78395

## **Target Background**

This gene encodes an antigen that is preferentially expressed in human melanomas and that is recognized by cytolytic T lymphocytes. It is not expressed in normal tissues, except testis. The encoded protein acts as a repressor of retinoic acid receptor, and likely confers a growth advantage to cancer cells via this function. Alternative splicing results in multiple transcript variants.



订购热线: 4008-898-798


## **Applications**

## **Immunohistochemistry**

Predicted cell location: Cytoplasm or Nucleus

Positive control: Human brain Recommended dilution: 40-250





The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using ml122915(PRAME Antibody) at dilution 1/65, on the right is treated with fusion protein. (Original magnification: ×200)

**ELISA** 

Recommended dilution: 5000-10000


联系电话: 4008-898-798, 021-61725725


联系QQ: 2881505695, 2881505696

邮箱: mlbio\_cn@yeah.net 网址: www.mlbio.cn

Predicted cell location: Cytoplasm or Nucleus Positive control: Human esophagus cancer

Recommended dilution: 40-250





The image on the left is immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using ml122915(PRAME Antibody) at dilution 1/65, on the right is treated with fusion protein. (Original magnification: ×200)