

Anti-OCIAD1 antibody

Cat. No.	ml222801
Package	25 µl/100 µl/200 µl
Storage	-20°C, pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol

Product overview

Description	Anti-OCIAD1 rabbit polyclonal antibody
Applications	ELISA, WB
Immunogen	Fusion protein of human OCIAD1
Reactivity	Human, Mouse, Rat
Content	0.2 mg/ml
Host species	Rabbit
Ig class	Immunogen-specific rabbit IgG
Purification	Antigen affinity purification

Target information

Symbol	OCIAD1
Full name	OCIA domain containing 1
Synonyms	OCIA; ASRIJ; TPA018
Swissprot	Q9NX40

Target Background

OCIAD1 (OCIA domain containing 1), also known as OCIA (ovarian carcinoma immunoreactive antigen), TPA018 or ASRIJ, is a 245 amino acid endosomal protein that contains one OCIA domain and belongs to the OCIAD1 family. OCIAD1 exists as two alternatively spliced isoforms (termed OCIAD1 isoform A and B) that localize to different tissues; isoform A localizes to prostate, brain, mammary gland, testis, placenta and ovary, whereas isoform B is restricted to the central nervous system. The gene encoding OCIAD1 maps to human chromosome 4, which represents approximately 6% of the human genome, contains nearly 900 genes and is associated with Huntington's disease, Ellis-van Creveld syndrome, methylmalonic acidemia and polycystic kidney disease.

订购热线: 4008-898-798

Applications

Western blotting

Predicted band size: 28 kDa

Positive control: Hela and Jurkat cells, human testis tissue and 231 cells

Recommended dilution: 200-1000

Gel: 10% SDS-PAGE


Lysate: 40 µg

Lane 1-4: Hela cells, Jurkat cells, human testis tissue, 231 cells

Primary antibody: ml222801 (OCIAD1 Antibody) at dilution 1/200

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 30 seconds



ELISA

Recommended dilution: 1000-2000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio_cn@yeah.net

网址: www.mlbio.cn