

Anti-STX16 antibody

Cat. No. ml223272

Package 25 μ l/100 μ l/200 μ l

Storage -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview

Description Anti-STX16 rabbit polyclonal antibody

Applications ELISA, WB, IHC

Immunogen Fusion protein of human STX16

Reactivity Human, Mouse

Content 0.4 mg/ml

Host species Rabbit

Ig class Immunogen-specific rabbit IgG

Purification Antigen affinity purification

Target information

Symbol STX16

Full name syntaxin 16



Synonyms SYN16

Swissprot O14662

Target Background

This gene encodes a protein that is a member of the syntaxin or t-SNARE (target-SNAP receptor) family. These proteins are found on cell membranes and serve as the targets for V-SNARES (vesicle-SNAP receptors) permitting specific synaptic vesicle docking and fusion. A microdeletion in the region of chromosome 20 where this gene is located has been associated with pseudohypoparathyroidism type lb.




Applications


Immunohistochemistry

Predicted cell location: Cytoplasm

Positive control: Human esophagus cancer

Recommended dilution: 25-100





Good elisakit produceri

The image on the left is immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using ml223272(STX16 Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: ×200)

Western blotting

Predicted band size:37 kDa


Positive control:MCF7, A172 and hepg2 cells


Recommended dilution: 500-2000

Predicted cell location: Cytoplasm

Positive control: Human breast cancer

Recommended dilution: 25-100





The image on the left is immunohistochemistry of paraffin-embedded Human breast cancer tissue using ml223272(STX16 Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: ×200)



Gel: 8%SDS-PAGE


Lysate: 40 µg

Lane 1-3: MCF7 cells, A172 cells, hepg2 cells

Primary antibody: ml223272(STX16 Antibody) at dilution 1/400

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 5 seconds



ELISA

Recommended dilution: 2000-5000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio_cn@yeah.net

网址: www.mlbio.cn