

Anti-PDE4D antibody

Cat. No. ml262030

Package 25 μl/100 μl/200 μl

Storage -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview

Description Anti-PDE4D rabbit polyclonal antibody

Applications ELISA, WB, IHC

Immunogen Synthetic peptide of human PDE4D

Reactivity Human

Content 0.2 mg/ml

Host species Rabbit

Ig class Immunogen-specific rabbit IgG

Purification Antigen affinity purification

Target information

Symbol PDE4D

Full name phosphodiesterase 4D, cAMP-specific



Synonyms DPDE3; PDE43; STRK1; ACRDYS2; HSPDE4D; PDE4DN2

Swissprot Q08499

Target Background

This gene encodes one of four mammalian counterparts to the fruit fly 'dunce' gene. The encoded protein has 3',5'-cyclic-AMP phosphodiesterase activity and degrades cAMP, which acts as a signal transduction molecule in multiple cell types. This gene uses different promoters to generate multiple alternatively spliced transcript variants that encode functional proteins.




Applications


Immunohistochemistry

Predicted cell location: Cytoplasm

Positive control: Human brain

Recommended dilution: 25-100





Good elisakii producere

The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using ml262030(PDE4D Antibody) at dilution 1/20, on the right is treated with synthetic peptide. (Original magnification: ×200)

Western blotting

Predicted band size:91 kDa


Positive control:Hela cells


Recommended dilution: 500-2000

Predicted cell location: Cytoplasm

Positive control: Human liver cancer

Recommended dilution: 25-100





The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using ml262030(PDE4D Antibody) at dilution 1/20, on the right is treated with synthetic peptide. (Original magnification: ×200)



Gel: 6%SDS-PAGE


Lysate: 40 µg

Lane: Hela cells

Primary antibody: ml262030(PDE4D Antibody) at dilution 1/200

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 3 minutes



ELISA

Recommended dilution: 2000-5000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio_cn@yeah.net

网址: www.mlbio.cn