

订购热线: 4008-898-798

Anti-CPNE8 antibody

Cat. No. ml124665

Package 25 μl/100 μl/200 μl

Storage -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview

Description Anti-CPNE8 rabbit polyclonal antibody

Applications ELISA, IHC

Immunogen Fusion protein of human CPNE8

ReactivityHuman, MouseContent0.2 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

Target information

Symbol CPNE8
Full name copine 8

Synonyms

Swissprot Q86YQ8

Target Background

Calcium-dependent membrane-binding proteins may regulate molecular events at the interface of the cell membrane and cytoplasm. This gene is one of several genes that encode a calcium-dependent protein containing two N-terminal type II C2 domains and an integrin A domain-like sequence in the C-terminus.




订购热线: 4008-898-798


Applications

Immunohistochemistry

Predicted cell location: Cytoplasm or Nucleus Positive control: Human gastric cancer

Recommended dilution: 25-100





The image on the left is immunohistochemistry of paraffin-embedded Human gastric cancer tissue using ml124665(CPNE8 Antibody) at dilution 1/20, on the right is treated with fusion protein. (Original magnification: ×200)

ELISA


Recommended dilution: 5000-10000


联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio_cn@yeah.net 网址: www.mlbio.cn

Predicted cell location: Cytoplasm or Nucleus Positive control: Human ovarian cancer Recommended dilution: 25-100





The image on the left is immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using ml124665(CPNE8 Antibody) at dilution 1/20, on the right is treated with fusion protein. (Original magnification: ×200)