

# Anti-FADS3 antibody

 Cat. No.
 ml124993

 Package
 25 μl/100 μl/200 μl

 Storage
 -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview
Description
Applications
Immunogen
Reactivity
Content
Host species
lg class
Purification

Anti-FADS3 rabbit polyclonal antibody ELISA, IHC Fusion protein of human FADS3 Human, Mouse, Rat 0.48 mg/ml Rabbit Immunogen-specific rabbit IgG Antigen affinity purification

Target information Symbol Full name Synonyms Swissprot

# FADS3 fatty acid desaturase 3 CYB5RP; LLCDL3 Q9Y5Q0

#### **Target Background**

The protein encoded by this gene is a member of the fatty acid desaturase (FADS) gene family. Desaturase enzymes regulate unsaturation of fatty acids through the introduction of double bonds between defined carbons of the fatty acyl chain. FADS family members are considered fusion products composed of an N-terminal cytochrome b5-like domain and a C-terminal multiple membrane-spanning desaturase portion, both of which are characterized by conserved histidine motifs. This gene is clustered with family members FADS1 and FADS2 at 11q12-q13.1; this cluster is thought to have arisen evolutionarily from gene duplication based on its similar exon/intron organization.



订购热线: 4008-898-798

## Applications Immunohistochemistry

Predicted cell location: Cytoplasm and Cell membrane Positive control: Human thyroid cancer Recommended dilution: 25-100



The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using ml124993(FADS3 Antibody) at dilution 1/20, on the right is treated with fusion protein. (Original magnification: ×200)

### ELISA

Recommended dilution: 5000-10000

- 联系电话: 4008-898-798, 021-61725725
- 联系QQ: 2881505695,2881505696
- 邮箱: mlbio\_cn@yeah.net 网址: www.mlbio.cn