

兔抗 ABCC13 多克隆抗体

- 中文名称: 兔抗 ABCC13 多克隆抗体
- 英文名称: Anti-ABCC13 rabbit polyclonal antibody
- 别 名: PRED6; C21orf73
- 储 存:冷冻(-20℃) 避光
- 抗 原: ABCC13
- 宿 主: Rabbit
- 反应种属: Human
- 相关类别: 一抗
- 标记物: Unconjugate
- 克隆类型: Unconjugate

技术规格

Background:	This gene is a member of the superfamily of genes e ncoding ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- an d intra-cellular membranes. ABC genes are divided in to seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, and White). This family member is part of the MRP subfamily, which is involved in m ulti-drug resistance, but the human locus is now tho ught to be a pseudogene incapable of encoding a fu nctional ABC protein. Alternative splicing results in m
	nctional ABC protein. Alternative splicing results in m ultiple transcript variants; however, not all variants ha



	ve been fully described
Applications:	WB, IHC
Name of antibody:	ABCC13
Immunogen:	Synthesized peptide derived from internal of human ABCC13.
Full name:	ATP-binding cassette, sub-family C (CFTR/MRP), mem ber 13, pseudogene
Synonyms :	PRED6; C21orf73
SwissProt:	Q9NSE7
IHC positive control:	Human liver carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	31 kDa
WB Positive control:	293 cells, COLO cells and HT-29 cells lysates
WB Recommended dilution:	500-3000





