

兔抗 ACAA2 多克隆抗体

中文名称：兔抗 ACAA2 多克隆抗体

英文名称：Anti-ACAA2 rabbit polyclonal antibody

别名：DSAEC

抗原：ACAA2

储存：冷冻（-20℃）

宿主：Rabbit

相关类别：一抗

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	3-Ketoacyl-CoA thiolase, mitochondrial also known as acetyl-Coenzyme A acyltransferase 2 is an enzyme that in humans is encoded by the ACAA2 gene. Acetyl-Coenzyme A acyltransferase 2 is an acetyl-CoA C-acyltransferase enzyme. The encoded protein catalyzes the last step of the mitochondrial fatty acid beta-oxidation spiral. Unlike most mitochondrial matrix proteins, it contains a non-cleavable amino-terminal targeting signal.
Applications:	ELISA, WB, IHC
Name of antibody:	ACAA2

Immunogen:	Fusion protein of human ACAA2
Full name:	acetyl-CoA acyltransferase 2
Synonyms :	DSAEC
SwissProt:	P42765
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human thyroid cancer and human lung cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	42 kDa
WB Positive control:	Hela, A549, NIH/3T3 and A172 cells, human liver cancer tissue
WB Recommended dilution:	200-1000



