

兔抗 CRISP1 多克隆抗体

- 中文名称: 兔抗 CRISP1 多克隆抗体
- 英文名称: Anti-CRISP1 rabbit polyclonal antibody

别 名: cysteine rich secretory protein 1 ARP; AEGL1; HUMARP; CRISP-1; HEL-S-57; HSCRISP1D; HSCRISP1G

- 相关类别: 一抗
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 抗 原: CRISP1
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

| Background: | Fertilization consists of a sequence of specific cell-cell int eractions culminating in the fusion of the sperm and eg g plasma membranes. Recognition, binding, and fusion o ccur through the interaction of complementary molecules that are localized to specific domains of the sperm and egg plasma membranes. In the sperm, the postacrosomal region or equatorial segment is involved in sperm-egg pl asma membrane fusion. The protein encoded by this ge ne is a member of the cysteine-rich secretory protein (C RISP) family. It is expressed in the epididymis, is secreted |
|-------------|--|
|-------------|--|



| | into the epididymal lumen, and binds to the postacroso mal region of the sperm head, where it plays a role in s perm-egg fusion. Alternatively spliced transcript variants encoding different isoforms have been found for this ge ne. |
|-----------------------------|--|
| Applications: | ELISA, IHC |
| Name of antibody: | CRISP1 |
| Immunogen: | Synthetic peptide of human CRISP1 |
| Full name: | cysteine rich secretory protein 1 |
| Synonyms: | ARP; AEGL1; HUMARP; CRISP-1; HEL-S-57; HSCRISP1D; H SCRISP1G |
| SwissProt: | P54107 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human brain and Human liver cancer |
| IHC Recommend dilution: | 20-100 |





