

兔抗 AURKC 多克隆抗体

- 中文名称: 兔抗 AURKC 多克隆抗体
- 英文名称: Anti-AURKC rabbit polyclonal antibody
- 别 名: AIE2; AIK3; ARK3; AurC; SPGF5; STK13; aurora-C
- 相关类别: 一抗
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 抗 原: AURKC
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes a member of the Aurora subfamily of serine/threonine protein kinases. The encoded protei n is a chromosomal passenger protein that forms comp lexes with Aurora-B and inner centromere proteins and may play a role in organizing microtubules in relation t o centrosome/spindle function during mitosis. This gen e is overexpressed in several cancer cell lines, suggestin g an involvement in oncogenic signal transduction. Alte rnative splicing results in multiple transcript variants.
Applications:	ELISA, WB, IHC
Name of antibody:	AURKC



Immunogen:	Synthetic peptide of human AURKC
Full name:	aurora kinase C
Synonyms :	AIE2; AIK3; ARK3; AurC; SPGF5; STK13; aurora-C
SwissProt:	Q9UQB9
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human brain
IHC Recommend dilution:	15-50
WB Predicted band size:	36 kDa
WB Positive control:	Mouse testis tissue and hela cells, human liver cancer a
	nd A375 cells, 293T cells
WB Recommended dilution:	200-1000





