

## 兔抗 CTDP1 多克隆抗体

- 中文名称: 兔抗 CTDP1 多克隆抗体
- 英文名称: Anti-CTDP1 rabbit polyclonal antibody
- 别 名: CTD phosphatase subunit 1; FCP1; CCFDN
- 相关类别: 一抗
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 抗 原: CTDP1
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

## 技术规格

Background:	This gene encodes a protein which interacts with the carboxy-terminus of the RAP74 subunit of transcriptio n initiation factor TFIIF, and functions as a phosphata se that processively dephosphorylates the C-terminus of POLR2A (a subunit of RNA polymerase II), making it available for initiation of gene expression. Mutation s in this gene are associated with congenital cataract s, facial dysmorphism and neuropathy syndrome (CCF DN). Alternatively spliced transcript variants encoding different isoforms have been described for this gene.
Applications:	ELISA, WB, IHC



Name of antibody:	CTDP1
Immunogen:	Synthetic peptide of human CTDP1
Full name:	CTD phosphatase subunit 1
Synonyms:	FCP1; CCFDN
SwissProt:	Q9Y5B0
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human ovarian cancer and Human thyroid cancer
IHC Recommend dilution:	50-300
WB Predicted band size:	104 kDa
WB Positive control:	HEPG2 cell lysate
WB Recommended dilution:	500-2000





