

兔抗 CYCS 多克隆抗体

中文名称: 兔抗 CYCS 多克隆抗体

英文名称: Anti-CYCS rabbit polyclonal antibody

别名: CYC; HCS; THC4

抗 原: CYCS

储 存: 冷冻(-20℃)

宿 主: Rabbit

相关类别: 一抗

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes a small heme protein that functions a s a central component of the electron transport chain in mitochondria. The encoded protein associates with the in ner membrane of the mitochondrion where it accepts el ectrons from cytochrome b and transfers them to the cy tochrome oxidase complex. This protein is also involved in initiation of apoptosis. Mutations in this gene are associated with autosomal dominant nonsyndromic thrombocytopenia. Numerous processed pseudogenes of this gene are found throughout the human genome.
Applications:	ELISA, WB, IHC



Name of antibody:	CYCS
Immunogen:	Fusion protein of human CYCS
Full name:	cytochrome c, somatic
Synonyms:	CYC; HCS; THC4
SwissProt:	P99999
ELISA Recommended dilution:	2000-10000
IHC positive control:	Human colon cancer and Human gastric cancer
IHC Recommend dilution:	100-300
WB Predicted band size:	12 kDa
WB Positive control:	Hela, K562 cells, mouse brain, heart and kidney tissue, P
	C3 and Jurkat cells
WB Recommended dilution:	500-2000





