

兔抗 BRAF 多克隆抗体

中文名称：兔抗 BRAF 多克隆抗体

英文名称：Anti-BRAF rabbit polyclonal antibody

别名：NS7; BRAF1; RAFB1; B-RAF1

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：BRAF

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

This gene encodes a protein belonging to the raf/mil family of serine/threonine protein kinases. This protein plays a role in regulating the MAP kinase/ERKs signaling pathway, which affects cell division, differentiation, and secretion. Mutations in this gene are associated with cardiofaciocutaneous syndrome, a disease characterized by heart defects, mental retardation and a distinctive facial appearance. Mutations in this gene have also been associated with various cancers, including non-Hodgkin lymphoma, colorectal cancer, malignant melanoma, thyroid carcinoma

	ma, non-small cell lung carcinoma, and adenocarcinoma of lung. A pseudogene, which is located on chromosome X, has been identified for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	BRAF
Immunogen:	Synthetic peptide of human BRAF
Full name:	v-raf murine sarcoma viral oncogene homolog B
Synonyms :	NS7; BRAF1; RAFB1; B-RAF1
SwissProt:	P15056
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human cervical cancer and Human prostate cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	84 kDa
WB Positive control:	Hela and Raji cells
WB Recommended dilution:	500-2000



