

兔抗 C15orf40 多克隆抗体

- 中文名称: 兔抗 C15orf40 多克隆抗体
- 英文名称: Anti-C15orf40 rabbit polyclonal antibody
- 相关类别: 一抗
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 抗 原: C15orf40
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

| | Encoding more than 700 genes, chromosome 15 is made up of approximately 106 million base pairs an d is about 3% of the human genome. Angelman an |
|-------------|--|
| | d Prader-Willi syndromes are associated with loss of |
| | function or deletion of genes in the 15q11-q13 regi |
| | on. In the case of Angelman syndrome, this loss is |
| Background: | due to inactivity of the maternal 15q11-q13 encode |
| | d UBE3A gene in the brain by either chromosomal |
| | deletion or mutation. In cases of Prader-Willi syndro |
| | me, there is a partial or complete deletion of this r |
| | egion from the paternal copy of chromosome 15. T |
| | ay-Sachs disease is a lethal disorder associated with |
| | mutations of the HEXA gene, which is encoded by |



| | chromosome 15. Marfan syndrome is associated wit h chromosome 15 through the FBN1 gene. The C15 orf40 gene product has been provisionally designate d C15orf40 pending further characterization. |
|-----------------------------|---|
| Applications: | ELISA, WB, IHC |
| Name of antibody: | C15orf40 |
| Immunogen: | Fusion protein of human C15orf40 |
| Full name: | chromosome 15 open reading frame 40 |
| SwissProt: | Q8WUR7 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human brain |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 16 kDa |
| WB Positive control: | Human heart tissue lysate |
| WB Recommended dilution: | 500-2000 |





