

兔抗 DIP2B 多克隆抗体

中文名称: 兔抗 DIP2B 多克隆抗体

英文名称: Anti-DIP2B rabbit polyclonal antibody

别 名: PEPT1; HPECT1; HPEPT1

抗 原: DIP2B

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes a member of the disco-interacting p rotein homolog 2 protein family. The encoded protein c ontains a binding site for the transcriptional regulator D NA methyltransferase 1 associated protein 1 as well as AMP-binding sites. The presence of these sites suggests that the encoded protein may participate in DNA methylation. This gene is located pear a folate-sensitive fragil
	lation. This gene is located near a folate-sensitive fragil e site, and CGG-repeat expansion in the promoter of the
	is gene which affects transcription has been detected in individuals containing this fragile site on chromosome 1
	2.
Applications:	ELISA, WB, IHC
Name of antibody:	DIP2B



Immunogen:	Synthetic peptide of human DIP2B
Full name:	disco interacting protein 2 homolog B
SwissProt:	Q9P265
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human brain;
IHC Recommend dilution:	20-100
WB Predicted band size:	172 kDa
WB Positive control:	NIH/3T3 cell lysate
WB Recommended dilution:	200-1000





