

兔抗 CCNT2 多克隆抗体

中文名称：兔抗 CCNT2 多克隆抗体

英文名称：Anti-CCNT2 rabbit polyclonal antibody

别 名：CYCT2

相关类别：一抗

储 存：冷冻（-20℃）

宿 主：Rabbit

抗 原：CCNT2

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

The protein encoded by this gene belongs to the highly conserved cyclin family, whose members are characterized by a dramatic periodicity in protein abundance through the cell cycle. Cyclins function as regulators of CDK kinases. Different cyclins exhibit distinct expression and degradation patterns which contribute to the temporal coordination of each mitotic event. This cyclin and its kinase partner CDK9 were found to be subunits of the transcription elongation factor p-TEFb. The p-TEFb complex containing this cyclin was reported to interact with, and act as a negative regulator of human immunodeficiency virus transcription.

	ency virus type 1 (HIV-1) Tat protein.
Applications:	ELISA, WB, IHC
Name of antibody:	CCNT2
Immunogen:	Synthetic peptide of human CCNT2
Full name:	cyclin T2
Synonyms :	CYCT2
SwissProt:	O60583
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human lung cancer
IHC Recommend dilution:	20-100
WB Predicted band size:	81 kDa
WB Positive control:	Hela and 293T cell
WB Recommended dilution:	500-2000



