

兔抗 DPM1 多克隆抗体

中文名称: 兔抗 DPM1 多克隆抗体

英文名称: Anti-DPM1 rabbit polyclonal antibody

别 名: MPDS; CDGIE

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: DPM1

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

Dolichol-phosphate mannose (Dol-P-Man) serves as a do nor of mannosyl residues on the lumenal side of the en doplasmic reticulum (ER). Lack of Dol-P-Man results in d efective surface expression of GPI-anchored proteins. Dol-P-Man is synthesized from GDP-mannose and dolichol-p hosphate on the cytosolic side of the ER by the enzyme dolichyl-phosphate mannosyltransferase. Human DPM1 lacks a carboxy-terminal transmembrane domain and signal sequence and is regulated by DPM2. Mutations in this gene are associated with congenital disorder of glycosylation type Ie. Alternative splicing results in multiple transcri



	pt variants.
Applications:	ELISA, IHC
Name of antibody:	DPM1
Immunogen:	Full length fusion protein
Full name:	dolichyl-phosphate mannosyltransferase polypeptide 1, ca talytic subunit
Synonyms:	MPDS; CDGIE
SwissProt:	O60762
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human brain
IHC Recommend dilution:	20-100





