

兔抗 CD86 多克隆抗体

中文名称：兔抗 CD86 多克隆抗体

英文名称：Anti-CD86 rabbit polyclonal antibody

别名：CD86 molecule; B70; B7-2; B7.2; LAB72; CD28LG2

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：CD86

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

This gene encodes a type I membrane protein that is a member of the immunoglobulin superfamily. This protein is expressed by antigen-presenting cells, and it is the ligand for two proteins at the cell surface of T cells, CD28 antigen and cytotoxic T-lymphocyte-associated protein 4. Binding of this protein with CD28 antigen is a costimulatory signal for activation of the T-cell. Binding of this protein with cytotoxic T-lymphocyte-associated protein 4 negatively regulates T-cell activation and diminishes the immune response. Alternative splicing results in several transcript variants encoding different isoforms.

Applications:	ELISA, IHC
Name of antibody:	CD86
Immunogen:	Fusion protein of human CD86
Full name:	CD86 molecule
Synonyms:	B70; B7-2; B7.2; LAB72; CD28LG2
SwissProt:	P42081
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human gastric cancer
IHC Recommend dilution:	40-200

