

兔抗 CD99 多克隆抗体

- 中文名称：兔抗 CD99 多克隆抗体
- 英文名称：Anti-CD99 rabbit polyclonal antibody
- 别名：CD99 molecule MIC2; HBA71; MIC2X; MIC2Y; MSK5X
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：CD99
- 反应种属：Human
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a cell surface glycoprotein involved in leukocyte migration, T-cell adhesion, ganglioside GM1 and transmembrane protein transport, and T-cell death by a caspase-independent pathway. In addition, the encoded protein may have the ability to rearrange the actin cytoskeleton and may also act as an oncosuppressor in osteosarcoma. This gene is found in the pseudautosomal region of chromosomes X and Y and escapes X-chromosome inactivation. There is a related pseudogene located immediately adjacent to this locus.
Applications:	ELISA, IHC

Name of antibody:	CD99
Immunogen:	Fusion protein of human CD99
Full name:	CD99 molecule
Synonyms:	MIC2; HBA71; MIC2X; MIC2Y; MSK5X
SwissProt:	P14209
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and Human tonsil
IHC Recommend dilution:	25-100



