

兔抗 EDA2R 多克隆抗体

中文名称: 兔抗 EDA2R 多克隆抗体

英文名称: Anti-EDA2R rabbit polyclonal antibody

别 名: XEDAR; EDAA2R; EDA-A2R; TNFRSF27

相关类别: 一抗

储 存: 冷冻(-20℃)

抗原: EDA2R

宿 主: Rabbit

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

EDA-A1 and EDA-A2 are two isoforms of ectodysplasin that are encoded by the anhidrotic ectodermal dysplasi a (EDA) gene. Mutations in EDA give rise to a clinical s yndrome characterized by loss of hair, sweat glands, and teeth. The protein encoded by this gene specifically binds to EDA-A2 isoform. This protein is a type III transmembrane protein of the TNFR (tumor necrosis factor receptor) superfamily, and contains 3 cysteine-rich repeats and a single transmembrane domain but lacks an N-terminal signal peptide. Alternatively spliced transcript variants have been found for this gene.



Applications:	ELISA, WB, IHC
Name of antibody:	EDA2R
Immunogen:	Fusion protein of human EDA2R
Full name:	ectodysplasin A2 receptor
Synonyms:	XEDAR; EDAA2R; EDA-A2R; TNFRSF27
SwissProt:	Q9HAV5
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human esophagus cancer and human ovarian cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	33 kDa
WB Positive control:	293T cells
WB Recommended dilution:	500-2000





