

兔抗 CENPH 多克隆抗体

中文名称：兔抗 CENPH 多克隆抗体

英文名称：Anti-CENPH rabbit polyclonal antibody

相关类别：一抗

储 存：冷冻（-20℃）

抗 原：CENPH

宿 主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

Centromere and kinetochore proteins play a critical role in centromere structure, kinetochore formation, and sister chromatid separation. The protein encoded by this gene colocalizes with inner kinetochore plate proteins CENP-A and CENP-C in both interphase and metaphase. It localizes outside of centromeric heterochromatin, where CENP-B is localized, and inside the kinetochore corona, where CENP-E is localized during prometaphase. It is thought that this protein can bind to itself, as well as to CENP-A, CENP-B or CENP-C. Multimers of the protein localize constitutively to the inner kinetochore plate and play an important role in the organization and function of the active centromere-kinetochore complex.

Applications:	ELISA, WB, IHC
Name of antibody:	CENPH
Immunogen:	Fusion protein of human CENPH
Full name:	centromere protein H
SwissProt:	Q9H3R5
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer and Human colorectal cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	28 kDa
WB Positive control:	Mouse lung tissue lysate
WB Recommended dilution:	500-2000



