

兔抗 EPSTI1 多克隆抗体

中文名称: 兔抗 EPSTI1 多克隆抗体

英文名称: Anti-EPSTI1 rabbit polyclonal antibody

别 名: epithelial stromal interaction 1; BRESI1

相关类别: 一抗

抗 原: EPSTI1

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

The protein encoded by this gene has been shown to p romote tumor invasion and metastasis in some invasive cancer cells when overexpressed. Expression of this gene has been shown to be upregulated by direct binding of the Kruppel like factor 8 protein to promoter sequences. The translated protein interacts with the amino terminal region of the valosin containing protein gene product, r esulting in the nuclear translocation of the nuclear facto r kappa B subunit 1 gene product, and activation of tar get genes. Overexpression of this gene has been observed in some breast cancers and in some individuals with



| | systemic lupus erythematosus (SLE). |
|------------------------------------|--|
| Applications: | ELISA, IHC |
| Name of antibody: | EPSTI1 |
| Immunogen: | Synthetic peptide of human EPSTI1 |
| Full name: | epithelial stromal interaction 1 |
| Synonyms: | BRESI1 |
| SwissProt: | Q96188 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human cervical cancer and Human tonsil |
| IHC Recommend dilution: | 30-150 |





