

## 兔抗 ERLIN1 多克隆抗体

中文名称: 兔抗 ERLIN1 多克隆抗体

英文名称: Anti-ERLIN1 rabbit polyclonal antibody

别名: ER lipid raft associated 1; KEO4; KEO4; SPFH1; SPG62; Erlin-1; C10orf69

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗原: ERLIN1

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

| Background:       | The protein encoded by this gene is part of a protein complex that mediates degradation of inositol 1,4,5-tris phosphate receptors in the endoplasmic reticulum. The encoded protein also binds cholesterol and regulates the SREBP signaling pathway, which promotes cellular cholesterol homeostasis. Defects in this gene have been as sociated with spastic paraplegia 62. |
|-------------------|--|
| Applications:     | ELISA, WB, IHC   |
| Name of antibody: | ERLIN1   |
| Immunogen:        | Fusion protein of human ERLIN1   |
| Full name:        | ER lipid raft associated 1   |



| Synonyms:                          | KE04; KEO4; SPFH1; SPG62; Erlin-1; C10orf69 |
|------------------------------------|---|
| SwissProt:                         | O75477                                      |
| <b>ELISA</b> Recommended dilution: | 5000-10000                                  |
| IHC positive control:              | Human tonsil and Human prostate cancer      |
| IHC Recommend dilution:            | 50-200                                      |
| WB Predicted band size:            | 39 kDa                                      |
| WB Positive control:               | Rat pancreas tissue lysate                  |
| WB Recommended dilution:           | 500-2000                                    |







