



兔抗 FLT3(Phospho-Tyr842) 多克隆抗体

中文名称：兔抗 FLT3(Phospho-Tyr842) 多克隆抗体

英文名称：Anti-FLT3(Phospho-Tyr842) rabbit polyclonal antibody

别名：FLK2; STK1; CD135; FLK-2

相关类别：一抗

储存：冷冻 (-20°C) 避光

宿主：Rabbit

抗原：FLT3(Phospho-Tyr842)

反应种属：Human Mouse

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:	This gene encodes a class III receptor tyrosine kinase that regulates hematopoiesis. The receptor consists of an extracellular domain composed of five immunoglobulin-like domains, one transmembrane region, and a cytoplasmic kinase domain split into two parts by a kinase-insert domain. The receptor is activated by binding of the fms-related tyrosine kinase 3 ligand to the extracellular domain, which induces homodimer formation in the plasma membrane leading to autophosphorylation of the receptor.
Applications:	WB

Name of antibody:	FLT3(Phospho-Tyr842)
Immunogen:	Peptide sequence around phosphorylation site of tyrosine 842(S-N-Y(p)-V-V) derived from Human FLT3 .
Full name:	fms-related tyrosine kinase 3
Synonyms :	FLK2; STK1; CD135; FLK-2
SwissProt:	P36888
WB Predicted band size:	113 kDa
WB Positive control:	HepG2 cells lysates treated with EGF
WB Recommended dilution:	500-1000

