

兔抗 FLT3 多克隆抗体

中文名称: 兔抗 FLT3 多克隆抗体

英文名称: Anti-FLT3 rabbit polyclonal antibody

别 名: FLK2; STK1; CD135; FLK-2

相关类别: 一抗

抗 原: FLT3

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

This gene encodes a class III receptor tyrosine kinase that regulates hematopoiesis. This receptor is activate d by binding of the fms-related tyrosine kinase 3 liga nd to the extracellular domain, which induces homodi mer formation in the plasma membrane leading to a utophosphorylation of the receptor. The activated receptor kinase subsequently phosphorylates and activates multiple cytoplasmic effector molecules in pathway s involved in apoptosis, proliferation, and differentiati on of hematopoietic cells in bone marrow. Mutations that result in the constitutive activation of this recept



	,
	or result in acute myeloid leukemia and acute lymph oblastic leukemia.
Applications:	ELISA, WB, IHC
Name of antibody:	FLT3
Immunogen:	Fusion protein of human FLT3
Full name:	fms related tyrosine kinase 3
Synonyms:	FLK2; STK1; CD135; FLK-2
SwissProt:	P36888
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	113 kDa
WB Positive control:	231 cell lysate
WB Recommended dilution:	500-2000





