

兔抗 FOXG1 多克隆抗体

中文名称：兔抗 FOXG1 多克隆抗体

英文名称：Anti-FOXG1 rabbit polyclonal antibody

别名：BF1; BF2; QIN; FKH2; HBF2; HFK1; HFK2; HFK3; KHL2; FHKL3; FKHL1; FKHL2; FKHL3; FKHL4; HBF-1; HBF-2; HBF-3; FOXG1A; FOXG1B; FOXG1C; H

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：FOXG1

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This locus encodes a member of the forked-head transcription factor family. The encoded protein, which functions as a repressor, may play a role in brain development. Mutations at this locus have been associated with Rett syndrome.
Applications:	ELISA, IHC
Name of antibody:	FOXG1
Immunogen:	Synthetic peptide of human FOXG1
Full name:	forkhead box G1
Synonyms :	BF1; BF2; QIN; FKH2; HBF2; HFK1; HFK2; HFK3; KHL2;

	FHKL3; FKHL1; FKHL2; FKHL3; FKHL4; HBF-1; HBF-2; HBF-3; FOXG1A; FOXG1B; FOXG1C; HBF-G2
SwissProt:	P55316
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human tonsil
IHC Recommend dilution:	25-100



