

兔抗 GLYATL2 多克隆抗体

- 中文名称：兔抗 GLYATL2 多克隆抗体
- 英文名称：Anti-GLYATL2 rabbit polyclonal antibody
- 别名：glycine-N-acyltransferase like 2; GATF-B; BXMAS2-10
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：GLYATL2
- 反应种属：Human
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	Mitochondrial acyltransferase which transfers the acyl group to the N-terminus of glycine. Conjugates numerous substrates, such as arachidonoyl-CoA and saturated medium and long-chain acyl-CoAs ranging from chain-length C8:0-CoA to C18:0-CoA, to form a variety of N-acylglycines. Shows a preference for monounsaturated fatty acid oleoyl-CoA (C18:1-CoA) as an acyl donor. Does not exhibit any activity toward C22:6-CoA and chenodeoxycholate-CoA, nor toward serine or alanine.
Applications:	ELISA, IHC
Name of antibody:	GLYATL2

Immunogen:	Fusion protein of human GLYATL2
Full name:	glycine-N-acyltransferase like 2
Synonyms:	GATF-B; BXMAS2-10
SwissProt:	Q8WU03
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil and Human prostate cancer
IHC Recommend dilution:	50-300



