

兔抗 GM2A 多克隆抗体

中文名称：兔抗 GM2A 多克隆抗体

英文名称：Anti-GM2A rabbit polyclonal antibody

别名：SAP-3; GM2-AP

相关类别：一抗

抗原：GM2A

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a small glycolipid transport protein which acts as a substrate specific co-factor for the lysosomal enzyme beta-hexosaminidase A. Beta-hexosaminidase A, together with GM2 ganglioside activator, catalyzes the degradation of the ganglioside GM2, and other molecules containing terminal N-acetyl hexosamines. Mutations in this gene result in GM2-gangliosidosis type AB or the AB variant of Tay-Sachs disease. Alternative splicing results in multiple transcript variants.
Applications:	ELISA, WB, IHC

Name of antibody:	GM2A
Immunogen:	Fusion protein of human GM2A
Full name:	GM2 ganglioside activator
Synonyms :	SAP-3; GM2-AP
SwissProt:	P17900
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human lung cancer
IHC Recommend dilution:	20-100
WB Predicted band size:	21 kDa
WB Positive control:	Human 2-3 grade bladder transitional cell carcinoma t issue, Mouse kidney tissue, Hela cell, 293T cell, A375 cell
WB Recommended dilution:	200-1000





