

兔抗 GPD2 多克隆抗体

中文名称：兔抗 GPD2 多克隆抗体

英文名称：Anti-GPD2 rabbit polyclonal antibody

别名：GDH2; GPDM; mGPDH

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：GPD2

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|--------------------------|---|
| Background: | The protein encoded by this gene localizes to the inner mitochondrial membrane and catalyzes the conversion of glycerol-3-phosphate to dihydroxyacetone phosphate, using FAD as a cofactor. Along with GDP1, the encoded protein constitutes the glycerol phosphate shuttle, which reoxidizes NADH formed during glycolysis. Two transcript variants encoding the same protein have been found for this gene. |
| Applications: | ELISA, IHC |
| Name of antibody: | GPD2 |
| Immunogen: | Synthetic peptide of human GPD2 |

| | |
|------------------------------------|--------------------------------------|
| Full name: | glycerol-3-phosphate dehydrogenase 2 |
| Synonyms: | GDH2; GPDM; mGPDH |
| SwissProt: | P43304 |
| ELISA Recommended dilution: | 2000-5000 |
| IHC positive control: | Human tonsil |
| IHC Recommend dilution: | 30-150 |



