

兔抗 MAP2K3 多克隆抗体

- 中文名称: 兔抗 MAP2K3 多克隆抗体
- 英文名称: Anti-MAP2K3 rabbit polyclonal antibody
- 别名: MEK3; MKK3; MAPKK3; PRKMK3; SAPKK2; SAPKK-2
- 抗 原: MAP2K3
- 储存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 相关类别: 一抗
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

| s leads to the constitutive activation of MAPK14, and co nfers oncogenic transformation of primary cells. The inhi |
|---|
|---|



| | bition of this kinase is involved in the pathogenesis of Y ersina pseudotuberculosis. Multiple alternatively spliced tr anscript variants that encode distinct isoforms have been reported for this gene. |
|-----------------------------|--|
| Applications: | ELISA, IHC |
| Name of antibody: | MAP2K3 |
| Immunogen: | Fusion protein of human MAP2K3 |
| Full name: | mitogen-activated protein kinase kinase 3 |
| Synonyms : | MEK3; MKK3; MAPKK3; PRKMK3; SAPKK2; SAPKK-2 |
| SwissProt: | P46734 |
| ELISA Recommended dilution: | 1000-5000 |
| IHC positive control: | Human ovarian cancer and human gastric cancer |
| IHC Recommend dilution: | 25-100 |

