

兔抗 MAP4K3 多克隆抗体

中文名称：兔抗 MAP4K3 多克隆抗体

英文名称：Anti-MAP4K3 rabbit polyclonal antibody

别名：GLK; MEKKK3; MEKKK 3; MAPKKKK3; RAB8IPL1

抗原：MAP4K3

储存：冷冻（-20℃）

宿主：Rabbit

相关类别：一抗

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|----------------------|---|
| Background: | This gene encodes a member of the mitogen-activated protein kinase kinase kinase kinase family. The encoded protein activates key effectors in cell signalling, among them c-Jun. Alternatively spliced transcripts encoding multiple isoforms have been observed for this gene. May play a role in the response to environmental stress. Appears to act upstream of the JUN N-terminal pathway. Ubiquitously expressed in all tissues examined, with high levels in heart, brain, placenta, skeletal muscle, kidney and pancreas and lower levels in lung and liver. |
| Applications: | ELISA, WB, IHC |

| | |
|------------------------------------|---|
| Name of antibody: | MAP4K3 |
| Immunogen: | Fusion protein of human MAP4K3 |
| Full name: | Mitogen-activated protein kinase kinase kinase kinase 3 |
| Synonyms : | GLK; MEKKK3; MEKKK 3; MAPKKKK3; RAB8IPL1 |
| SwissProt: | Q8IVH8 |
| ELISA Recommended dilution: | 2000-5000 |
| IHC positive control: | Human thyroid cancer |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 101 kDa |
| WB Positive control: | Mouse heart tissue |
| WB Recommended dilution: | 500-2000 |



